

*Not your only choice...
just the right one*



1-800-475-4443

Serving the hardwood
flooring industry for
more than 25 years



From Start to Finish for All your Flooring Needs.



**We have our own Hardwood Flooring, Moldings,
and Millwork Plant to Better Serve You.**

Quick Reference

Equipment

3 - 7

Featuring: Clarke, Bona & Hummel

Sports Equipment

8

Featuring: Floor Mack Ryder

Tools & Parts

9 - 10

Featuring: Powernail, Primatex & Stanley Bostitch

Finishes

12 - 22

Featuring: Bona, Lenmar, Basic, DuraSeal, WaterLox & Sampson

Abrasives

23 - 29

Featuring: Red Heat, Norzon, Norton & Bona Abrasive

Applicators & Accessories

30 - 34

Featuring: PadCo, Duratool, 3M & Safety Equipment

Sundries and Solutions

35 - 41

Including Wood, Vents, Adhesives and V.O.C. Laws



Clarke® American Sanders

FloorCrafter™

#E07104A

The FloorCrafter is engineered to be the most aggressive belt machine in the industry, was also designed to provide reduced vibration.

Its cutting ability allows the hardwood sanding professional the ability to increase production while achieving imperfection-free results.

AL 8 & 12 Drum Sander



#E07108A

The American 8 & 12 Drum Sanders are built of rugged cast aluminum construction, powerful motor and unique operating and drum leveling controls combine to make the most aggressive and most productive drum sander available today.



FA-8 Floor Abrader

#E07166A

The Floor Abrader is the latest in floor abrasion technology, designed and innovated to micro-abrade factory-finished and site-installed floors. The FA-8 is designed to abrade all types of factory-finished floors.

Edgers



#E07125A

The Super 7R is a powerful, versatile, edging machine that has earned a reputation as a reliable performer and designed for productivity and dependability with rugged construction and precision fitted components.

The **B-2+** Edger offers a 3200 rpm setting for aggressive cutting and a 2800 setting for greater precision.

Super E
#E07068C w/7" Pad
#E16529A Ext. only



#E07127A

SE7 & CE7 Edgers



#E07176A - Pro

#E07180A - Standard

- * Hook and loop or bolt-on sandpaper-ready
- * Two-speed motor (Pro+ only)
- * Power and bright LED lighting (Pro+ only)
- * Innovative dust bag features internal support
- * Dust control vacuum-ready

Machines use 7" x 5/16" Edger Discs or 7" hook and loop



#E07170A - Pro

#E07175A - Standard



CAV-26 Dust Control System

120V vacuum attaches directly to multiple wood sanding machines.

- 288 CFM from three independent motors for flexible use of power

#E07160A

Clarke[®] American Sanders



CAV-16 Dust Control Vacuum

The CAV-16 is the perfect machine for controlling dust when used with a single sander. #E07169A



CAV-12 Dust Control Vacuum

This vacuum has high suction, high filtration and a low noise level at 57 d(BA). #E07193A



CAV 2.2 Dust Control Vac

- 144 CFM of suction
- Large 10-quart tank
- Disposable filter with adhesive seal

#E02149A

Replacement dust bag #P1471097+

Focus[®] II Mid Size Autoscrubber[®]

The Focus[®] II Mid Size models have many advanced features such as larger tanks, wet or AGM battery choices, optional chemical mixing systems, on-board chargers, one-touch scrubbing, and easy to adjust squeegees.



#E05372A

Uses Red Heat screens #SNQRS28+
Durite screens #SNQS28+

RS-16DC Rotary Sander

The RS-16DC rotary sander offers strength, durability, and ease of use for those aggressive sanding jobs.

#E07162A



E-Z Sand Orbital Sander

The compact design allows the E-Z Sand to sand edges, wall lines, and closets. #E07164S

Power Booster

This booster provides dedicated power outlets for any floor sanding jobsite.



#E40590A

Clarke American Sanders

Since 1903, Clarke American Sanders has been the worldwide standard for quality, reliability and performance in professional grade floor sanding equipment.

Replacement Parts



Replacement Edger Pads

Super 7R **#P13203A**

B-2+ **#P13200A**

CE7/SE7 **#P61851A**



Replacement Edger Bags

New style fits B-2+, Super 7R and SE7/CE7 edgers

#P53544C



Floor Style carries the widest variety of replacement bearings for all of the most popular pieces of floor sanding equipment, including edgers, sanders, buffers and vacuum systems.



If you have the sander, we have the **OEM** or **Recovered** drum for it.



Replacement Light Bulbs

#PF911113 for B-2+ and SE7/CE7

230 volt Light Bulb

#PF911116 for 230v Edgers



Replacement Wheels

#P12208A Super7R

#P12203A B-2+

#P30666A Urethane caster (shown)



Vacuum fan for AL8



Vac Accessories

Clarke-style kit

#PBPV100

Clarke-style metal (shown)

#PBPV100M

**OEM
Pad Drivers
for Clarke's
most popular
buffers**

#P10242A

#P10242A

#P37008A

#P37008A

#P53152A

#P37011A

Paper Clamps and Bolts

Clamp Bolt for Super7R

#P960125

Paper Clamp for B-2+ and SE7/CE7

#P62411A

Paper Lock Screw for Super 7R

#P960140

Paper Bolt Wrench for Super 7R

#P960125



Armatures

#P10101B Super7R

#P10102A B2 (old style)

#P10112A B2 (230 volt)

#P10111A B2+ (new style)



Super 7R On/Off Switch

#P47394A OEM

#PES15HD Replcmt

#PES15A Replcmt

For B-2, B-2+



Carbon Motor Brushes

#PEBCS7R

No lead, fits Super 7R

#PEBCS7RW

With lead, fits Super 7R

#PEBB2 B-2+

#PEBAL/CL Motor - Amer./504

#PEBB2N B-2+ motor brush



30-amp breaker switch **#PES30A**

40-amp breaker switch **#PES40A**



40-amp 3-phase breaker switch

#PES403PH

Driver for sander 1600DC

Driver for RS16DC

Driver Sander 16

Driver Deluxe, Clarke

Driver Super Grip/Velcro type FM1500

Driver Super Grip/Velcro type FM2000

Bona[®]
Passion for wood floors



A. The Bona[®] Edge XL is engineered for performance, convenience and durability. **#EBE3135**

B. The Bona[®] is the most advanced dust containment system available with hospital-grade HEPA filter. **#EBAPDC**

C. The Bona Edge has the ergonomics and feel of a more traditional edger. **#EBE3196**

D. Available as an 8" or 10" belt sander, the Bona[®] Belt is Atomic DCS compatible. **#EBS3150 (shown)**

E. Use the Power Station Plus to protect your valuable floor sanding equipment. **#EBPS2417**

F. The Bona[®] DCS[®] Back Vac **#EBBVN2268**

G. Use the Bona Pro 16 for close cutting under toe-kicks and other hard to reach areas is made easier by a low profile deck with 360° wraparound bumpers. **#EBB2665**

H. The new low-deck design of the Bona DCS buffer, combined with the Illuminator adjustable light make working in hard-to-reach places easier than ever before. **#EBB3210**

Replacement Parts

These are just a few of the more than 20,000 replacement parts Floor Style has in stock

Vacuum Bags



#PB0529 Atomic 110
#PB1484 DCS Super Vac (small hole)
#PB2354 HP Vac Bag (5/box - Not shown)

Edger Wheels
#PB1650
Order with axle
#PB1037



Replacement Conversion hook & loop discs



#PB2059 (OEM)
#SBD6150 (6" no hole)
#SBD1041 (7" no hole)

Flor Style recovers Bona Drums



Call for complete details

HUMMEL Lägler



Lowest pricing
in the USA!*
Call for your
free quote.

#EH8B - 8" Belt (shown)

#EH12B - 12" Belt (inset)

The HUMMEL® belt sanding machines are the best-known floor sanding machine in the world.

Replacement Lägler Dust Bags

Product	Part#	Product	Part#
Trio (25/bx)	PH943	ELAN	PH684
Hummel 8"	B80HB	Unico	PH440
FLIP	PH1201		

Replacement Parts

Part #	Description
PH099NS	New Style Rear Wheel
PH108	OEM Guide Roller
PH110	8" Tension Roller
PH149W	New Style Center Wheel
PH153	Start Capacitor
PH161	8" Hummel Drum
PH202	Hummel Switch
PH205	Run Capacitor

*call for complete details



#EHTrio

Trio
three-disc
sanding
machine

From thorough sub-floor treatment via renovation work on pre-finished parquet floors to perfect fine and intermediate sanding, the **Trio** three disc sanding machine covers a comprehensive spectrum.



#EHFE

The **Flip** has been designed for simple handling and maintenance. 2 attachment lengths and 1 corner attachment available.



#EHE

The **Elan** is the light and flexible universal machine popular with both professionals and rental companies. 2 straight attachments and 1 corner attachment are available.



#EHU110

There are three **Unico** attachment lengths to choose from, which have been effectively matched to the dust extraction system.

Floor Mack

Solid construction
Solid performance

Easy to operate
Easy to maintain



#EFMR - 3 phase

#EFMR1 - Single phase

Plugs for the Ryder

Caution: 3-phase plugs should be installed by a qualified electrician

#PE2721 Male plug

#PE2723 Female plug

#PE2725 Flanged Male for sander

Using a Ryder behind two J-model sanders can reduce your floor time by up to 75% vs walking.

Clarke
American Sanders

**J-Model 12" Drum
Gym Sander by Clarke**

The American 12 Drum Sander is the worldwide benchmark for professional drum sanding equipment. Its rugged cast aluminum construction, powerful 3-phase motor and unique operating- and drum-leveling controls combine to make the most aggressive and most productive drum sander available.



#E07108A

Call for special pricing

New and Improved
Ram Horns for 8 & 12" Sanders

Stackable to allow the use of two bags for each sander.

#PF62800R



Phase Converter and Booster

**30 KVA
Rotary Phase
Converter**
#EFRPCN



3-phase Booster

#EFVBN (at right)

GameLine Taping Machine

This GameLine taping machine will lay down lines from 1/2" to 5" in width.

#EFGL



The machine comes with 3 2-foot poles with pole roller.

- Telescoping pole for the 3-point arc sold separately.

FSP Back Pack Vac

#ESBPV



Includes:

- 14" floor tool, 3" dust brush, 11" crevice tool, 2-piece wand, 50 foot safety power cord.

Replacement Back Vac Bags
#PSR100006 10/box



P250 Gym-Edition

Designed exclusively for gym & large surface installations, this edition of the P250 tool comes installed with bearing-mounted rollers and adjustable base.



Available from Floor Style in:

* 16ga 1-1/2", 1-3/4" or 2" L-type nails * 15½ga 1/2" crown 1-1/2", 1-3/4" or 2" staples

EPTP250LG
EPTP250SG

Cleat Nailer with Extended 200-cleat magazine
Stapler model with Extended 3-sleeve staple magazine



Q550 Pneumatic Nailer

For the installation of 3/8" to 5/8" solid hardwood and engineered floorings
#EPTQ550

P240 Nailer P260 Stapler

• For all types of hardwood flooring, from 3/4" to 33/32"; 1/2" to 5/8" with P-188 adapter.

#EPTP240
#EPTP260



#SPTC-011
5 pks = 1 Case

2" L CLEAT 5,000/pk
27 Cases = 1 Pallet

#SPTC-013
2 pks = 1 Case

2" L CLEAT 10,000/pk
63 Cases = 1 Pallet

MIII Floor Stapler

#EMIIF5-A

High-speed, mallet-actuated pneumatic operation increases productivity over manual methods. Precisely drives staples or cleats at proper angle and depth.

Other Bostitch nailers and staplers available at Floor Style

#ES3297LHF-A 20 gauge Laminate Floor Stapler

Tool-free adjustable foot adapts from 1/4" to 1/2" engineered flooring

#EMIIFN Pneumatic Cleat Nailer

High-speed mallet actuated operation increases productivity over manual methods

#EMFN200 Floor Nailer

Aluminum housing for job site durability

#EN62FNK-2 Finish Nailer Kit

Kit includes: Finish Nailer, 1,000 2" nails and carrying case.



O-ring repair kits for staplers
#PBCORK10
Fits S32 and Brad Tackers

#PBCORK6
Fits M111FS & M111FN



Stanley Staples

#SBS1
#SBSFN2
#SBS1.5
#SBS1.75

1" Staples for ES3297LHF-A 5,000bx
2" Finish Nail for EN62FNK-2 3,655bx
1 1/2" Staples for MIII 9,600bx
1 3/4" Staples for MIII 7,728bx

other sizes available

POWERNAIL USA



Powernail is the premier company in the hardwood flooring industry for the manufacturing of pneumatic nailers and flooring cleats. These products are used for the installation of Tongue & Groove hardwood flooring and sub-flooring.

Model

#EPN445LS
#EPN445LL
#EPN445SL
#EPN445SS
#EPN445EL

Style


Long handle / Short channel
Long handle / Long channel
Short channel / Long handle
Short channel / Short handle
Extra long handle

"L" Type Cleat Nails & Why They Work

The cleat-type fastener has been around for decades and was the first fastener type used when production-type flooring nailers were developed. The cleat is very ver-

The cleat will allow a floor to have its seasonal expansion and contraction without losing its grip on the sub-floor.

Cleats are also easier to set by hand



The versatile "L" cleat

when a misfire on the nail gun occurs. Seldom will the "L" cleat lay over when hammered in by hand like many other types of fastener.

With the "L" cleat there is also a larger variety of nail guns available that use the cleats. The number of brands is almost exceeded by the number of types

of guns styles that will fit the "L" cleat. of guns styles that will fit the "L" cleat.

The basic design of cleats are generally the same, however, different manufacturers do have various techniques of manufacturing, or designing the overall shape of the cleat, to make their cleats either more versatile or specialized depending on the end user's need.

The most versatile of these have the "L" shape and are barbed down the shank to increase holding strength.

The blunt tip on the cleat gives it a lesser tendency to cause splitting on the tongue of the board than other fastener types.

Other fastener styles may have more holding power than a cleat but this is not always a good thing.

There are roller type, adjustable base-

type, face-type nailers, and varying lengths of feeder channel for the "L" cleat.

The face-type nailer is handy because it uses the same cleat as the regular floor nailer which eliminates the need for a separate box of finish nails when closing out a room.

That's not to say the other type of fasteners for flooring aren't as good or better in certain applications. For every style of fastener, there is a purpose for which it was made.

But when it comes to all around general usage and versatility, the "L" cleat can hold its own.

-- Mike Hoy

New Graphite Hardwood Flooring Mallets



#PBCHFM3

45 oz. mallet

#PBCHFM4

54 oz. mallet

Bona products improved

Bona Traffic Anti-Slip Satin combines the legendary durability of Bona Traffic with slip resistant properties that meet the ADA recommendation for accessible routes and ramps according to ASTM 2047.

It also meets the German Industrial Norm DIN 51 130 with a rating of R10. This German standard measures a product's ability to provide slip resistance to improve safety in public and workplaces.

With its higher friction, Bona Traffic Anti-Slip is an ideal choice for stairs, nurseries, kitchens and similar locations.

This product has a sheen level

of 25 at 60 degrees and will use the same hardener as regular Bona Traffic. GREENGUARD certified for indoor air quality.



Bona Mega Booster is the newest innovation to Bona's waterborne finish family. Combined



with Bona Mega, Bona Mega Booster is ideal for prolonging the life and enhancing the beauty of residential and commercial wood floors. The improved adhesion now allows Bona Mega with Booster to be used on re-coats. It will not change the coverage rate, feel, or application characteristics of Bona Mega.

Bona Mega Booster is sold separately from Bona Mega, allowing the user to determine when the extra performance is needed.

Bona AmberSeal is a poly-toned, waterborne sanding sealer specially formulated for use with all Bona waterborne finishes.



Bona Amberseal combines the color and depth of oil-based products with the low VOC's and safety of waterborne sealers.

GREENGUARD certified for indoor air quality.

Learn more about Bona products at
www.bonapro.com

Bona®

Passion for wood floors

Since 1919, BonaKemi has provided hardwood floor finishing professionals with the world's finest hardwood floor finishes.

Sport Finishes



All Court



Sport Poly



Sport Poly 350

Bona All Court® oil-modified polyurethane provides a tough, high-build gloss finish.

Sport Poly 350 premium quality, low-VOC, oil-modified, polyurethane provides a tough, gloss finish with excellent chemical resistance.

Bona® Sport Poly premium quality, oil-modified polyurethane developed specifically for the wood sport floor market.

Product	Part #	spread rate (sq. ft./gal)	Dry time (hours*)	VOC	Pot life (hr)	Clarity (when dry)
All Court	FB5153	500-600	8	500	n/a	clear
Sport Poly	FB1960	500	8-12	450	n/a	clear
Sport Poly 350	FB5155	550-600	18	350	n/a	clear

These finishes and sealers are:

APPROVED



Adiplex Flooring, Inc.
Bldg. Assoc. Inc.



Sport Seal



DriFast™ Sport Seal



Sport Seal 350

Bona® Sport Seal oil-modified sealer for sport and all-purpose floors. For use over newly sanded sport floors. Meets the federal and most state clean air quality standards.

Bona® Sport Seal 350 low-voc, oil-modified sealer for sport & all-purpose hardwood floors.

Bona® Sport Seal quick-drying oil-modified sealer designed to penetrate and seal bare wood.

*Dry time is dependant on atmospheric conditions

Product	Part #	spread rate (sq. ft./gal)	Dry time (hours*)	VOC	Pot life (hr)	Clarity (when dry)
Sport Seal	FB1958	400-500	8-12	500	n/a	clear
Sport Seal 350	FB5111	450-550	18	350	n/a	clear
DriFast Sport Seal	FB5112	600-700	1.5-2	550	n/a	clear

Waterborne Sports Floor Finishes and Sealers



SuperSport™



SuperSport™ Seal



SuperSport™ One

Bona SuperSport™ premium two-component waterborne wood floor finish and is specifically formulated for professional use on maple sport floors. Non-yellowing.

Bona SuperSport™ One is specifically formulated for professional use on maple sport floors, providing a tough, urethane finish with good build.

SuperSport™ Seal's quick drying, non-ambering formula reduces grain raise and prepares the floor for a protective top coat of SuperSport™ finish.

Product	Part #	spread rate (sq. ft. / gal)	Dry time (hours*)	VOC	Pot life (hr)	Clarity (when dry)
SuperSport	FB1826	500-600	2-3	350	n/a	clear
SuperSport One	FB5001	500-600	2-3	145	n/a	clear
SuperSport Seal	FB1828	450-550	2-3	100	n/a	clear

visit us online at www.floorstyle.com

Bona®

Bona Traffic®

Now in Anti-Slip Formula!



Designed specifically for the unique demands of heavy-traffic commercial and residential hardwood floors. Traffic's advanced formula provides the ultimate in durability, outperforming any finish in the industry - moisture cure, solvent-based, oil-modified or other waterborne finishes.

Bona Traffic Anti-Slip Satin combines the legendary durability of Bona Traffic with slip resistant properties.

Satin #FB1727

Semi-gloss #FB1729

Gloss #FB154218001

Anti-Slip Satin #FB153918001



180 V.O.C.

2 per case

Coverage - 350-400 sq.ft./gal

Bona Mega® & Booster

Oxygen-crosslinking polyurethane (OCP) waterborne formula with extraordinary performance. The oxygen in the air is the crosslinker. No additives to mix, no limited pot life and no wasted finish.

Semi-Gloss #FB1572

Gloss #FB1570

Satin #FB1571

Booster #FB800061001

150 V.O.C.



3 per case Coverage - 500-600 sq.ft./gal

AmberSeal®

3 per case

#FB8003

Bona AmberSeal combines the color and depth of oil-based products with the low VOC's and safety of waterborne sealers.

Covers approximately 400-450 sq. ft. per gallon



DTS Sealer®

Bona®
Passion for wood floors

Bona DTS seals the wood; develops a deep natural tone, vibrant look; abrades easily.
Covers approximately
400-450 sq. ft. per gallon

#FB8001DTS

3 per case



Woodline floor finish



4 gallons
per case

Available in:
Gloss, Satin and Semi-Gloss

Oil-modified, high-solids finish
with excellent flow and leveling

Available in quarts, gallons and 5-gallons

#FB15+ for qts and gallons

#FB50+ for 5-gallon pails

Bona® DriFast Stains

Colors: Medium Brown, Antique Brown, Puritan Pine, Cherry, Natural, Nutmeg, Golden Oak, Early American, Provincial, Special Walnut, Rosewood, Red Mahogany, Jacobean, Ebony & White

550 V.O.C.



Order #FB18+

6 per case

4 per case

Compatible with Bona waterborne & other Bona finish systems.

Bona® DriFast Sealer

Compatible with all Bona® stains, oil-modified and waterborne finishes.

1 1/2 - 2 hr. dry time

#FB2424 -- QT.

#FB2425 -- Gal

#FB2426 -- 5 Gal.

550 V.O.C.



CourtLines Paints

15 base colors which can be blended.

#FB11+

450 V.O.C.

Quarts Only

Colors can be blended to create any color in the rainbow. Colors stand out and add the final touch to a perfect floor.



Bona Bonaseal®

100 V.O.C.



#FB1728

3 per case

Clear non-yellowing sealer for use with all Bona® waterborne finishing systems.

Roller cover and Frame

For finishes requiring roll-on application



#FB1561

Roller Frame Handle

#FB1562

Roller Cover

Bona® Pacific Filler

#FBF1537 Ash/Pine/Maple (gal)

#FBF1824 White Oak (gal)

#FBF1539 Red Oak (gal)

#FBF1828 Brazilian Cherry (gal)

#FBF1830 American Cherry (gal)

Other colors available

Available in quart, 1 gal. or 3.5 gal.

2 gal or 8 qts per case



LENMAR™

WOOD FLOOR FINISHES

EVOLUTION

Revolutionary W/B Floor Finish



One component application

Excellent flow and leveling

Two component performance

Ultra premium product quality

No catalyst required

Improved solvent resistance

Improved moisture resistance

No product waste

OTC Compliant

FL1Y.202 Satin Gallon

FL1Y.204 Semi-gloss Gallon

Not just another drop in the bucket!

ENDURE-2K

Two-Component Acrylic Urethane Coating



Two component Product

Premium durability

MFMA Approved

Ideal for Gym Floors

Non-Yellowing Formulation

Easy to Apply

Excellent flow and leveling

Fast dry times

FL1YB.04A Satin Gallon

FL1YB.06A Semi-gloss Gallon

FL1YB.08A Gloss Gallon

LENMAR™
WHERE OIL & WATER UNITE

LENMAR™

WOOD FLOOR FINISHES

ECHO₂

Single Component

Excellent properties
Self-Sealing

MFMA Approved

Ideal for Gym Floors

Easy to Apply

Excellent flow and leveling
Fast dry time

Slightly Amber Formulation

OTC Compliant



FL1YB.04 Satin Gallon
FL1YB.06 Semi-gloss Gallon
FL1YB.08 Gloss Gallon

ENVIRONMENTALLY FRIENDLY

WATERBORNE FINISHES

Rapid Seal

Dual Purpose Sealer

Use Under Waterbornes
Use under Polyurethanes

MFMA Approved

Ideal for Gym Floors

Fast Drying Formulation

2 hour dry times



FL1Y.519 RapidSeal Sealer

LENMAR™

WHERE OIL & WATER UNITE

LENMAR™

WOOD FLOOR FINISHES

Premium Polyurethane Wood Finishes

***Easy Application on all
wood species***

***Excellent Hardness
and Durability***

***Ideal for Commercial
or Residential
Applications***

MFMA Approved

Available in quarts, gallons
& 5 gallon pails



FL1Y555 Gloss
FL1Y724 Semi-Gloss
FL1Y617 Satin
FL1Y915 Dull Rubbed

Enviro 350™

100% Polyurethane Low VOC, Floor Finish

Premium Quality Polyurethane

Tough Durable Finish

***Exceptional Flow and
Leveling***

***Ideal for Commercial
or Residential
Applications***

OTC Compliant



FL1Y504 Satin
FL1Y506 Semi-Gloss
FL1Y509 Gloss

Available in gallons
& 5 gallon pails

LENMAR™

WHERE OIL & WATER UNITE



Basic® Coatings offers the best products for finishing, refinishing and maintaining wood floors, proudly made in the USA.



Less than 350 VOC

StreetShoe®

Gloss, Semi-Gloss, Satin, Super Matte

- Fastest cure available; 90% cured in 24 hours
- Decades of performance
- Excellent durability

#FBC40+ Single Gallon
(4 gallons per case)

#FBC40+ Five Gallon



Less than 275 VOC

StreetShoe® 275

Gloss, Semi-Gloss, Satin, Super Matte

- Fastest cure available; 90% cured in 24 hours
- Easy to apply; can be rolled
- Excellent durability

#FBC165+ Single Gallon
(4 gallons per case)

#FBC165+ Five Gallon



Less than 275 VOC

Emulsion™

Gloss, Semi-Gloss, Satin, Super Matte

- Fastest drying oil
- Ideal for exotics
- Single component; no catalyst required
- Easy to apply

#FBC61+ Single Gallon
(4 gallons per case)

#FBC61+ Five Gallon



Less than 275 VOC

Hydrolite® Plus

Gloss, Semi-Gloss, Satin, Super Matte

- Crystal clear coating
- Excellent adhesion to existing finishes
- Improved traction; great for sports floors

#FBC068+ Single Gallon
(4 gallons per case)

#FBC068+ Five Gallon



Less than 275 VOC

Commercial Catalyzed Sealer

- Premier sealer
- Clear, colorless look
- Easy to apply; dries fast

#FBC41601 Single Gallon
(4 gallons per case)



Less than 275 VOC

Lock 'N Seal™

- Minimizes tannin pull
- Perfect for exotics
- Makes sealing floors easier

#FBC0661-43 Single Gallon
(4 gallons per case)



Less than 250 VOC

Hydrolite® Sealer

- Fast drying
- Great for maple floors
- Single component

#FBC30101 Single Gallon
(4 gallons per case)

#FBC30105 Five Gallon



Less than 4%

Squeaky™

- No dulling residue
- Excellent choice for routine cleaning of dirt, grease and soils
- Cleans without leaving a film

Squeaky Cleaner

#FBC30901 Single Gallon
(4 gallons per case)
#FBC30905 Five Gallon

Squeaky Cleaner Kit

FBC00068

Squeaky 32 oz. Spray Bottle
Item# FBC1126-12



Less than 150 VOC

TyKote®

- Recoat tonight, back in business tomorrow
- Eliminates the dust, noise and mess of traditional methods
- Simple and inexpensive process

FBC32501 Single Gallon
(4 gallons per case)



Less than 4%

I.F.T.™

- Deep, intensive cleaning
- Removes dirt, grease and contaminants
- Removes household waxes, oils and polishes

#FBC1111-05 Five Gallon

#FBC22001 Single Gallon
(4 gallons per case)



Dirt Dragon™

- Multi-function control panel for all operations
- Powerful, cylindrical brush system
- Removable tanks for easy filling and cleaning

#EBC85812
Special Pricing!

Refinishing Wood Floors... NO DUST. NO MESS.

This innovative system makes it easier to give your customer beautiful floors in **less time and with no dust and mess.** The fast and easy-to-use **3-step process** means wood floors can be recoated in one night and you can be back in business the next day.



Benefits of TyKote®

- Easy, proven 3-step process
- Less prep and clean up
- Fast; recoat tonight, back in business tomorrow
- Eliminates the dust, noise and mess of traditional methods
- Simple and inexpensive process
- Works with site-finished and most prefinished wood floors



DURA SEAL®

Premium Wood Floor Finishes

A commercial-grade finish, Masterline Polyurethane is a durable finish suitable for large volume applications.

5 Gallon	Part #
Gloss	#FDSM33450
Semi-gloss	#FDSM33452
Satin	#FDSM33451
1 Gallon	Part #
Gloss	#FDSM33410
Semi-gloss	#FDSM33412
Satin	#FDSM33411
Quart	Part #
Gloss	#FDSM33460
Semi-gloss	#FDSM33462
Satin	#FDSM33461

Masterline®



Polyurethane Floor Finish

DURA SEAL™ Polyurethane is a transparent, tough, oil-based finish formulated to provide excellent durability and remarkable stain resistance & gives wood floors depth and richness while protecting them from dirt and spills.

Gloss	#FDS81300	Satin	#FDS81310
Semi-gloss	#FDS81305	Matte	#FDS81315



Waterbased Polyurethane Finish

Waterbased polyurethane is a one-component, 100% Urethane wood floor finish formulated for all traffic areas. It provides the performance and durability of two-component finishes while eliminating the need for a separate cross-linker.

Gloss	#FDSW80600	Satin	#FDSW80610
Semi-gloss	#FDSW80605	Matte	#FDSW80615



DURA SEAL® X-TERRA™

Ultimate in Durability
X-TERRA is a two-component, urethane/acrylic resin blend formulated specifically for the demands of commercial and high-traffic residential hardwood floors.

Semi-gloss	#FDSX82305
Satin	#FDSX82310

Also available in a 275 VOC

Gloss	#FDSX89500
Semi-gloss	#FDSX89505
Satin	#FDSX89510

DuraSeal™ Quick Coat Stains

Penetrating Finish is a semi-transparent stain formulated to seal, color and provide exceptional durability when used on bare wood and masonry surfaces. This rich blend of oil and resin gives hardwood floors a soft, satiny sheen.



Can be used with or without a finish coat for low traffic areas.

Available in colors to match any decor.

#FDS812+

A Century of



The Hawkins family has worked for four generations to provide finishing solutions that enhance and protect the natural beauty of wood.

Waterlox began manufacturing finishing products in 1910 by using the best ingredients and original family formulas. Today, the tradition of quality continues with products that are handmade by an expert staff. Experience is supported by a continuous dedication to satisfy customers in the woodworking and wood flooring industries.

In the 1930s the introduction of Waterlox Transparent leads to other tung oil-based finishes that become the company's most prominent product line. The Waterlox Division is established.

In the 1960s, the company changed its name to Waterlox Chemical and Coatings Corporation and R.L. Hawkins was named President. Over the next two decades the

third generation of Hawkins takes the reigns of the company and J.W. Hawkins is named president and continues to lead the company today.. 1990's - New Name, New Products

A name change to Waterlox Coatings Corporation signifies a continued commitment to delivering a new and expanded product line, and a continued commitment to quality coatings.


Entering the 21st Century Waterlox launched a brand new look for its tung oil line of Legendary Wood Finishes along with the 4th generation, Kellie Hawkins-Schaffner joining the company, reaffirming the Hawkins family commitment to quality, value, reliability, and knowledge.



Waterlox Satin Finish




Waterlox High Gloss Finish





Sampson floor coatings are formulated for use over bare wood. The coatings penetrate into the wood to seal pores and keep water out to prevent wood rot. The dry coating can be sanded to form a smooth surface after a conveniently short dry time.

Professional Urethane Wood Finish is an extreme durable alkyd-free sealer that is formulated to seal and protect bare wood surfaces.



5 Gallon
Gloss
Semi-gloss
Satin

Part #
#FS02093505
#FS02093405
#FS02093305

1 Gallon
Gloss
Semi-gloss
Satin

Part #
#FS02093501
#FS02093401
#FS02093301

Quart
Gloss
Semi-gloss
Satin

Part #
#FS020935
#FS020934
#FS020933

AquaVar Waterborne Clear Varnish

is an extremely durable, light amber shade waterborne finish. It derives its outstanding performance characteristics from a top quality aromatic waterborne polyurethane dispersion as the sole resin. It is modified with carefully selected wetting, leveling and defoaming additives



Quart
Gloss
Semi
Satin

Part #
#FS02093001
#FS02093101
#FS02093201

Poly-U-Var Premium Polyurethane


is a clear wood finish that is extremely durable varnish. It is superior to conventional urethanes in toughness, resistance to abrasion and resistance to water and chemicals such as cleaners.

Gloss

#FS020924

Satin

#FS020923



visit us online at www.floorstyle.com

NORTON

The Norton SG Red Heat line of belts, rolls, edger discs, and screen are produced with a patented seeded gel ceramic abrasive grain

for unmatched cut rate and product life with optimum resistance to wear. The NorZon Plus line of belts, rolls, and edger discs are produced with a self-sharpening, zirconia alumina grain to provide a fast, cool cut. Micro-fiber products, hardwood floor conditioning pads, sanding screens, and other accessories are all available to help achieve the perfect finish. Norton is the world leader in abrasive products and technology.


Shifting Abrasives Into High Gear



**EXCLUSIVE TECHNOLOGY.
UNRIVALED PERFORMANCE.**

NORTON SG™
REDHEAT

NORTON



EXCLUSIVE TECHNOLOGY
UNRIVALED PERFORMANCE

RedHeat cloth-backed abrasives offer 2-3 times the life over silicon carbide with a finer scratch pattern. Ideal for use on hard woods.

The fastest cutting, longest lasting belt on the market!

- 100% patented SG (Seeded Gel) ceramic abrasive grain.
- Full phenolic resin bond with patent pending color stabilizer technology.
- Heavy polyester backing.

8" by 25yd Rolls
for all 8" drum sanders
24 to 120 Grit
Order SNRC8 + Grit

Drum Sanders

**12" by 25yd
Rolls**
for all 12"
drum sanders

SNRC1224	24 Grit
SNRC1236	36 Grit
SNRC1240	40 Grit
SNRC1250	50 Grit
SNRC1260	60 Grit
SNRC1280	80 Grit
SNRC12100	100 Grit
SNRC12120	120 Grit

**7-7/8" x 29-1/2"
Belts**

Fits Hummel 8",
FloorCrafter®,
ProSand 8",
Classic 8, Omega

SNRB2924	24 Grit
SNRB2936	36 Grit
SNRB2940	40 Grit
SNRB2950	50 Grit
SNRB2960	60 Grit
SNRB2980	80 Grit
SNRB29100	100 Grit
SNRB29120	120 Grit

9-7/8" x 29-1/2" Belts
Fits Bona® Belt, Super10 & Orebro
24 to 120 Grits
Order SNRB9 + Grit
5 per box

Belt Sanders

7" x 7/8" Edger Discs

Fits Super 7, Unico, Hold,
Randmeister, Skil, PC and for all
7" edgers with a 7/8" center.
24 to 120 Grit

Order SNDR78 + grit
25 per box

Edgers

7" x 5/16" Edger Discs

Fits CE7, SE7 B2, B2 +,
Silverline and all 7" edgers
with a 5/16" center.
24 to 120 Grit

Order SNDR516 + grit
25 per box

11-7/8" x 29-1/2" Belts

Fits Galaxy B-12 & BD-12
24 to 120 Grits

Order SNRB11 + Grit
5 per box

11-7/8" x 31-1/2" Belts
Fits Hummel 12"
24 to 120 Grits
Order SNRB31 + Grit



8" by 25yd Rolls (cloth backed) for all 8" drum sanders

Item #	Grit
SNN824	24 Grit
SNN836	36 Grit
SNN840	40 Grit
SNN850	50 Grit
SNN860	60 Grit
SNN880	80 Grit
SNN8100	100 Grit
SNN8120	120 Grit

• Ultra tough, zirconia alumina grain

• Self-sharpening for increased life over silicon carbide

• Open coat for load resistance and improved stock removal Ideal for harder species of wood

The True Blue Accept No Imitations

12" by 25yd Rolls (cloth backed) for all 12" drum sanders

Item #	Grit
SNN1224	24 Grit
SNN1236	36 Grit
SNN1240	40 Grit
SNN1250	50 Grit
SNN1260	60 Grit
SNN1280	80 Grit
SNN12100	100 Grit
SNN12120	120 Grit

7-7/8" x 29-1/2" Belts

For: Hummel 8", FloorCrafter, ProSand 8", Classic 8, Galaxy Omega 10 per box

Item #	Grit
SNBN2924	24 Grit
SNBN2936	36 Grit
SNBN2940	40 Grit
SNBN2950	50 Grit
SNBN2960	60 Grit
SNBN2980	80 Grit
SNBN29100	100 Grit
SNBN29120	120 Grit

9-7/8" x 29-1/2" Belts

For: Bona® Belt, Super10 & Orebro 10 per box

Item #	Grit
SNBN924	24 Grit
SNBN936	36 Grit
SNBN940	40 Grit
SNBN950	50 Grit
SNBN960	60 Grit
SNBN980	80 Grit
SNBN9100	100 Grit
SNBN9120	120 Grit

11-7/8" x 29-1/2" Belts

For: Galaxy B-12 & BD-12 10 per box

SNBN1124	24 Grit
SNBN1136	36 Grit
SNBN1140	40 Grit
SNBN1150	50 Grit
SNBN1160	60 Grit
SNBN1180	80 Grit
SNBN11100	100 Grit
SNBN11120	120 Grit

11-7/8" x 31-1/2" Belts

Fits: Hummel 12" 10 per box

SNBN3124	24 Grit
SNBN3136	36 Grit
SNBN3140	40 Grit
SNBN3150	50 Grit
SNBN3160	60 Grit
SNBN3180	80 Grit
SNBN31100	100 Grit
SNBN31120	120 Grit



Norzon Plus® Sander Rolls

50-yard rolls with a heavy-duty
PAPER BACKING for improved strength

Item #	Grit	Item #	Grit
SNNP836	36 Grit	SNNP1236	36 Grit
SNNP840	40 Grit	SNNP1240	40 Grit
SNNP850	50 Grit	SNNP1250	50 Grit
SNNP860	60 Grit	SNNP1260	60 Grit
SNNP880	80 Grit	SNNP1280	80 Grit
SNNP8100	100 Grit	SNNP12100	100 Grit

7" x 7/8" Edger Discs

For: Super 7, Unico, Hold, Randmeister, Skil, PC
50/100 per box

Available in grits 24 - 120

7" x 5/16" Edger Discs

For: CE7, SE7, B2, C7, Elite, Silverline 50/100 per box

NORTON

From 5 to 150 grit Norton Cores to Give You Unmatched Quality and Value for Your Dollar
 • FREE SHIPPING • Lowest Prices Guaranteed • Satisfaction Guaranteed



NORTON PLUS SPECIALTY DISCS

Hook & Loop Disc 5-7/8" (150mm)

Fits: Bond® Mini Edge, Flip Edger, Lagler Edge, Super Bee

GRIT	PART #
36	#SNND15036
40	#SNND15040
60	#SNND15060
80	#SNND15080
100	#SNND150100
120	#SNND150120

25 per box

7" Norton Hook & Loop Discs

GRIT	PART #
24	#SNHL724
36	#SNHL736
40	#SNHL740
50	#SNHL750
60	#SNHL760
80	#SNHL780
100	#SNHL7100
120	#SNHL7120

25 per box

SIZE TO GRIT CONVERSION CHART

3/0	120
2/0	100
1/0	80
1/2	60
1	50
1-1/2	40
2	36
2-1/2	30
3	24
3-1/2	20
4	16
4-1/2	12



PADS

For best results between coats sanding. Use with Maroon Pad & Strips.

EDGER MAROON PADS

Fits: Viking, SU7R, Unico, Randmeister

Part #SNMP78

20 per box

Part #SNMP516

Fits: B2, C7, Eke, Silverline

20 per box

8" Maroon Pads

Fits: Tno or 3DS

Part #SNMP178

20 per box

EDGER FELT PADS (WHITE)

20 per box

Part #SNFP78

Fits: Viking, SU7R, Unico, Randmeister

Part #SNFP516

Fits: B2, C7, Eke, Silverline



MESH SCREENS

Interwoven knit with abrasive on both sides for extended product life and longer sanding.

16"

Part #SNS16 + GRIT

GRIT	PART NUMBER
60	#SNS1660
80	#SNS1680
100	#SNS16100
120	#SNS16120
150	#SNS16150
180	#SNS16180
220	#SNS16220

10 per box

15" - 60 to 220 grit

Part #SNS15+GRIT

10 per box

17" - 60 to 220 grit

Part #SNS17+GRIT

10 per box

18" - 60 to 220 grit

Part #SNS18+GRIT

10 per box

19" - 60 to 220 grit

Part #SNS19+GRIT


10 per box

20" - 60 to 220 grit

Part #SNS20+GRIT

10 per box

21" - special order



SQUARE BUFF

Clarks OB-S18, and square buff designed specifically for square buff.

12" x 18" Screens

12" x 18" x 1" Pads

Part #SNQS18 + Grit

10 per box, 60 to 180 grit

16" x 2" Sanding Discs

Part #SND16 + Grit

10 per box, 12 to 120 grit

16" Double Sided Sanding Discs

Part #SNDD16+GRIT

10 per box, 20 - 120 grit

17" Double Sided Sanding Discs

Part #SNDD17+GRIT

10 per box, 60 & 100 grit

MAROON PADS

16" 10 per box

Part #SNMP16

Part #SNMPM16

17" 10 per box

Part #SNMP17

18" 10 per box

Part #SNMP18

20" 10 per box

Part #SNMP20

Part #SNMPM20

BUFFER MAINTENANCE PADS

Order in sizes:

15", 16", 17", 18",

19" or 20"

• White, Green, Red,

Aqua or Black

#SNMP + Color + Size

BETWEEN FINISH COATS STRIPS

2-3/4" by 45 yards

GRIT	PART #
150	#SNDELTA150
180	#SNDELTA180
220	#SNDELTA220
320	#SNDELTA320



DURITE ROLLS

May be cut to length.
Easy for storage. Silicon
Carbide.

8" x 50 yards Paper-back

For standard 8" drum
sanders

GRIT	PART NUMBER
12	#SN812
16	#SN816
20	#SN820
24	#SN824
30	#SN830
36	#SN836
40	#SN840
50	#SN850
60	#SN860
80	#SN880
100	#SN8100
120	#SN8120

50 yards/roll

12" x 50 yards Paper-back

For standard 12" drum
sanders

GRIT	PART #
12	#SN1212
16	#SN1216
20	#SN1220
24	#SN1224
30	#SN1230
36	#SN1236
40	#SN1240
50	#SN1250
60	#SN1260
80	#SN1280
100	#SN12100
120	#SN12120

50 yards/roll



DURITE BELTS

Silicon Carbide abrasive
for durability and fast
cut on all wood
surfaces.

7-7/8" x 29-1/2"

Fits: Hummel, Classic 8
Galaxy, FloorCrafter &
ProSand 8, K/T

GRIT	PART #
10	#SNB2916
24	#SNB2924
36	#SNB2936
40	#SNB2940
50	#SNB2950
60	#SNB2960
80	#SNB2980
100	#SNB29100
120	#SNB29120

10 per box

8" x 19" Belts

Fits: Clarke EZ-6

Part #SNB8 + Grit

10 per box 16 to 120
grit

11-7/8" x 29-1/2"

Fits: Galaxy B-12 & B2-
12

Part #SNB11+ Grit

10 per box 16 to 120
grit



DURITE EDGER DISCS

Traditional bolt-on
design.
Check for correct size.

7" x 5/16" Paper-back

B2, C2, Elite, Silverline

GRIT	PART NUMBER	QTY/BOX
12	#SND51612	25
16	#SND51616	50
20	#SND51620	50
24	#SND51624	50
30	#SND51630	50
36	#SND51636	50
40	#SND51640	50
50	#SND51650	100
60	#SND51660	100
80	#SND51680	100
100	#SND516100	100
120	#SND516120	100

7" x 7/8" Paper-back

Fits: Waring, SU7R,

Unico, Randommaster

Order SND78+ Grit

DURITE

Trio/3DS Screens

Part #SNTS + Grit

20 per box 60 to 180 grit

7" x 7/8" Screens

Part #SNS78 + Grit

20 per box 60 to 180 grit

7" x 5/16" Screens

Part #SNS516 + Grit

20 per box 60 to 180 grit



Durite belts, rolls
and discs are
silicon-carbide
coated abrasives
with a
heavy-duty
backing for
extended life
and a
reasonable price

Durite

Cloth-backed 50-yd rolls

Grit	Part #
16	SNC1216
36	SNC1236
80	SNC1280
100	SNC12100

DURITE SPECIALTY DISCS

6-7/8" x 7/8"

Part #SND6 + Grit

GRIT	PART #
12	#SND612
16	#SND616
20	#SND620
30	#SND630
40	#SND640
50	#SND650
60	#SND660
80	#SND680
100	#SND6100
120	#SND6120

100 per box



Order Part # SNRS + Size + Grit

**Ceramic screens
are the #1 long
lasting screen**

Grit	Part#
24	SNTDR24
36	SNTDR36
40	SNTDR40
50	SNTDR50
60	SNTDR60
80	SNTDR80
100	SNTDR100
120	SNTDR120

**Discs
for Trio**

30 per box

**12" by 18"
square buffers**

Screens for Trio

Grit	Part#
80	SNTSR80
100	SNTSR100
120	SNTSR120
150	SNTSR150

30 per box

**80 grit to 150 grit
10 per box**



The SIAFAST system is a Velcro®-like (hook and loop) fastening system.

7" Discs For Velcro® systems
Part #SBD7+
 25 per box 16 to 36 grit
 50 per box 40 to 120 grit



Bona BLUE Anti-Static Belts

The new Bona BLUE Anti-Static abrasives consist of an innovative combination of grit materials and anti-static properties at a tremendous value.

7-7/8" x 29-1/2" Belts
Fits: ProSand 8", FloorCrafter, Hummel 8", Classic 8, Galaxy
Part #SBBAB29 + Grit
 10 per box 24 to 120 grit



11-7/8" x 29-1/2" Belts
Fits: Galaxy B-12 & BD-12
Part #SBBAB11 + Grit
 10 per box 24 to 120 grit



11-7/8" x 31" Belts
Fits: Super Hummel
Part #SBBAB31 + Grit
 10 per box 24 to 120 grit

9-7/8" x 29-1/2" Belts
Fits: Bona® Belt, Super10 & Orebro
Part #SBBAB9 + Grit
 10 per box 24 to 120 grit

Edger Discs

7" x 7/8" Paper
Fits: Viking, SU7R, Unico, Randmeister
Part #SBD78 + Grit

25 per box 16 to 36 grit

7" x 5/16" Paper
Fits: CE7, SE7 B2, C7, Elite, Silverline
Part #SBBAD516 + Grit

50 per box 40 to 120 grit



More consistent cut • Less dust on floor • Keeps machine cleaner

The new Bona BLUE Anti-Static abrasives consist of an innovative combination of grit materials and anti-static properties, designed to give you aggressive performance without scuffing smoothness, at a tremendous value. The addition of anti-static properties helps prevent dust from clinging to the belt, which leads to a more consistent cut, less dust on the floor, and will keep your machine cleaner. When other belts stop cutting, Bona BLUE keeps on working with high efficiency and smooth results. BLUE. Powerful. Smooth. You've never experienced an abrasive like this. New Anti-static abrasives available in 24-120 grit.

Anti-Static 12" Rolls

Part #	Grit
SBA1224	24
SBA1236	36
SBA1240	40
SBA1250	50
SBA1260	60
SBA1280	80
SBA12100	100
SBA12120	120



8" by 25yd Rolls
 for all 8" drum sanders

Part #SB8 + Grit
 16 to 100 grit



12" by 25yd Rolls
 for all 12" drum sanders

Part #SB12 + Grit
 24 to 100 grit



New and Improved Screens

- Full resin bond
- More consistent scratch pattern
- Excellent grain retention
- Reclosable box for protection
- Shrinkwrapped to prevent grit loss
- Available in 16" - 60, 80, 100, 120, 150, 180 and 220 grit

Bona®

16" Screens 10 per box	<i>Our top selling screen!</i>	#SBS1660	60 grit	#SBS16150	150 grit
		#SBS1680	80 grit	#SBS16180	180 grit
		#SBS16100	100 grit	#SBS16220	220 grit
		#SBS16120	120 grit		

Specialty Pads and Discs



Maroon Pads

Used for between coats

Part #SBMP16 (16")

10 per box

Part #SBMP20 (20")

10 per box

150 Grit Delta Sheets

Part #SBD1027 10pk

Part #SBD1028 50pk

16" Double Sided Discs

Part #SBDD16+GRIT

10 per box 16 to 150 Grit



Safe Release Tape



Ideal for long-term masking projects when tape must be left on.

- #ST2080-75 3/4" Safe Release 60 yd Roll
Club Price \$4.24 roll
- #ST2080-1 1" Safe Release 60 yd Roll
Club Price \$5.35 roll
- #ST2080-1.5 1-1/2" Safe Release 60 yd Roll
Club Price \$7.86 roll
- #ST2080-2 2" Safe Release 60 yd Roll
Club Price \$10.46 roll



SCOTCH™ Blue tape

- #ST.75 3/4" Tape 60 yd roll
Club Price \$2.93 roll
- #ST1 1" Tape 60 yd roll
Club Price \$3.88 roll
- #ST1.5 1-1/2" Tape 60 yd roll
Club Price \$5.87 roll
- #ST2 2" Tape 60 yd roll
Club Price \$7.81 roll

Hardwood Epoxy Repair Kit



- Fill pre-finished floor hollows
- Fill knot holes in rustic flooring

#S3M58545
Replacement nozzles
#S3M9171



Heavy-Duty Epoxy Gun
#S3M4991
Club Price \$50.61

For use with #S3M58545,
#S3M100 and #S3M58237

Clear epoxy adhesive
#S3M100
• 1.7 Fl Oz Duo-Pak



Hardwood epoxy
#S3M58237
• 1.7 Fl Oz Duo-Pak
• No messy mixing needed
when used with nozzles sold below



6" Mixing Nozzles
#S3M9742 12 pack



Replacement Plungers
#S3M9161



Pistol grip
#S3M9740
for controlled application



Expandable Foam Ear Plugs

#S3M1110 w/cord
100 Pair/Box

#S3M1100 no cord
200 per box



Breathing Apparatus

Read and follow all instructions for proper use of breathing apparatus

Dust mask #S3M8210
20/box



Dust mask w/ valve #S3M9211
10/box



Dust mask w/ valve #S3M8511
10/box



Full-face Organic Respirator
#S3M69P71



Always read and follow proper use instructions for this mask

Respirator, partial-face Medium
#S3M52P71 12/case



Formaldehyde Cartridge
#S3M6005
Organic Cartridge
#S3M6001



Pre-folded masking film
S3M77407 99" x 90'
Use for covering anything needing extra protection





Excellent for edging and cutting in floors. Thousands of fibers hold more finish and spread it faster. For waterborne and mild solvent finishes. Handle accepts threaded extension poles.

Pads & Refills



10" Finish Pad w/ handle
#SP6040
10" Refill
#SP6041

6" Finish Pad w/ handle
#SP6036
6" Refill
#SP6037

Bigfoot™ Floor Coater


- 12", 18", and 24" available
- Works on wood, concrete, tile and slate surfaces
- Includes steel pole.



Part#	Description	Club Price
#SP6212	Bigfoot 12"	\$28.18
#SP6218	Bigfoot 18"	\$34.27
#SP6224	Bigfoot 24"	\$41.12

Floor Coater™

Part #	Description
#SP6024	Heavy 24"
#SP6124	Light 24
#SP6018	Heavy 18
#SP6118	Light 18"
#SP6012	Heavy 12"
#SP6112	Light 12"



Floor Coater Refills

Part #	Description
#SP6001	12" Blue
#SP6005	12" Woven yellow
#SP6000	18" Blue
#SP6004	18" Woven yellow
#SP6007	18" Lambswool
#SP6003	24" Blue
#SP6006	24" Woven yellow

K-series Finish Applicator

- Finish up to 1500 sq. ft.
- Easy to operate
- 24" applicator bar
- 2-1/2 gallon tank
- Easy to clean
- Pad not included in K -100 or K-200. Order #SK4400



#SK450

#SK100 K-100 (waterbase only)

#SK200 K-200
(solvent based/Poly)

Made specifically for
high-solid finishes

#SK450 K-450 solvent based high-solid finishes
(comes with one pad)

#SK4400 Replacement applicators
12 per box

Dual pour spouts



Finish bucket

#SFBG

- Dried finish peels off
- Tool and supply carrier
- Takes 16" applicator



SK100 and 200 have a single outlet
and can be used in gym finish application.

24" Weighted T-bar for
E-Z Way Applicator #PFEZT24H





Duratool's line of flooring applicators, finishing pads and coaters are specially designed for getting to the edge of the floor and close to the walls on your jobsite.



Part #	Description
#SPD8908	7" Trim Pad Incl: 4 pads, 1 handle
#SPD8911	10" Trim Pad Incl: 4 pads, 1 handle

Trim Pad Refills 12 Refills Per Carton	
7"	#SPD890812
10"	#SPD891112

T-bars



Part #	Description
#SPD7824	Heavy 24"
#SPD7724	Light 24"
#SPD7818	Heavy 18"
#SPD7718	Light 18"
#SPD7812	Heavy 12"
#SPD7712	Light 12"

Durafoam® refills for t-bars

Refills Note: Durafoam® refills are about 2" longer than bar length

Part #	Description
#SPD8014	12" Durafoam
#SPD8020	18" Durafoam
#SPD8026	24" Durafoam
#SPD8030	30" Durafoam
<i>"Ultra-quality" Genuine Lambskin</i>	
T-bar refills	
#SPD8212	12" Lambskin
#SPD8218	18" Lambskin
#SPD8224	24" Lambskin



Premium Lambs Skin Block & Pad 10/case

Part #	Size
SLBP8	8"
SLBP10	10"
SLBP12	12"
SLBP14	14"
SLBP16	16"
SLBP18	18"

Waterbase Applicator Block & Pad 10/case

Part #	Size
SWB8	8"
SWB8Y	8"
SWB10	10"
SWB12	12"
SWB14	14"
SWB16	16"
SWB18	18"

Premium Lambs Skin Applicator Refill 10/case

Part #	Size
SLRP8	8"
SLRP10	10"
SLRP12	12"
SLRP14	14"
SLRP16	16"
SLRP18	18"
SLRP24	24"

Waterbase Refill Pads 10/case

Part #	Size
SWR8	8"
SWR10	10"
SWR12	12"
SWR14	14"
SWR16	16"
SWR18	18"
SWR24	24"

Premium Paint Brushes



Description	Part #	Size
A - Angel Sash Brush	#FB1835	2 1/2"
B - Oil Paints & Varnish	#FB1404	4"
C - Painters "Special Hair"	#FB1965	4"

China Bristle Brushes

High-quality natural China bristle brushes have qualities that control oil-based coatings for better flow and leveling.

#FB4	4"
#FB6	6"



- Save time and money by re-using your applicators
- Waterbased applicator only

Nap Savers

Part #	Length	
#SNS12	12.5"	
#SNS18	18.5"	
#SNS24	24.5"	13.92

Edger and Sander Bags

**Call us
for
Great
Pricing!!**



Standard Edger Bags

Part #	Description
B50HB	Lg. bag w/ dbl material on bottom
B50HBV	Lg. bag w/ vinyl bottom
B60HBV	Sm. bag w/ vinyl bottom
B60HB	Sm. bag w/ dbl material on bottom

Bac-Pac-Vac Bag w/ Zipper

B70HBZ	Fits the Bac-Pac-Vac
--------	----------------------

Sander Bags

Part #	Description
#B10HBC	Lg. bag with clips
#B10HBG	Lg. bag -- Lg. opening
#B15HBZ	Lg bag -- sm opening, w/ zipper
#B20HB	Lg bag -- small opening
#B30HB	X-lg bag
#B35HBZ	X-lg w/ zipper

Premium Leather Edger Bags

B50HBL	Lg. bag w/leather bottom
B60HBL	Sm. bag w/leather bottom

Bag Clamp

#PG006C
Fits most sanding machines



Stair Wizard




For stairs 31-1/2" to 53" and up to 81" with extension.

Stair Jig

- Duplicate steps and risers with precision
- Fast, easy and accurate

#ESJ1 Stair Jig Extension

- Useful on extra-long stairs



#ESJ2

Easy-Sand™ Stair Tread Extension

- Edge stairways with ease
- Adjustable legs for level plane

#ESTE1



Heavy-duty Leather

#SKP206

Heavy-duty leather pads come with heavy duty straps and buckles.

Our MOST POPULAR



- Neoprene construction
- Durable and comfortable
- Washable and waterproof.

#SKP2



Heavy-duty Sponge Rubber

#SKP200

Molded of 1/2" thick close-cell sponge rubber with heavy-duty 2" wide elastic straps.



Super-Soft Knee Pads

The bite-free coating on the face of the pads will make it easier for you to move around on the floor.

#SKP3



Contractor Bags

Heavy-duty 3-mil thick contractor-sized trash bags.

#PCBAG

- 42 gallon-size

Box of 20

WARNING: TO AVOID DANGER OF SUFFOCATION, KEEP ALL PLASTIC BAGS AWAY FROM BABIES AND CHILDREN. DO NOT USE PLASTIC BAGS IN CRIES, CARRIAGES, OR PLAYERS. * See W-1106 of 20



Floor d-fenders®



Priced by the piece. 100 per case

Part#	Description	Case Price
FD1	3/4" Round	\$0.09
FD2	7/8" Round	\$0.09
FD3	1" Round	\$0.11
FD4	1-1/4" Round	\$0.13
FD5	1-1/2" Round	\$0.20
FD6	1-3/4" Round	\$0.30
FD7	2" Triangle	\$0.31
FD8	1/2"x2-5/8" Strip	\$0.13

safeglide®

Provides protection against marring, scratching, or denting wood or hard surface floors.



Part#	Description	Case Qty	Case \$
FP3003	1" White	100	\$0.39
FP3004	7/8" White	150	\$0.29
FP3005	1-1/2" White	50	\$0.51
FP3006	1" Brown	100	\$0.41
FP3007	7/8" Brown	150	\$0.29
FP3008	1-1/2" Brown	50	\$0.55

DELMHORST
INSTRUMENT CO.
MECHANICAL

Reference Scale — reads from 0 to 100 on a relative basis. Averages up to 100 accumulated readings. Set-point alerts you to when a pre-selected MC is reached. Connector to attach any available electrode for deep penetration of the wood.



One-year warranty

#ED2100

Hand-scraped floor scrapers

Sometimes, a tool is designed for a specific job and it works just like it should.



#EHIP1



#EHIP2

**ROUTER
66**

#PHIPR66

Repair and remove existing damaged planks without damaging surrounding boards!

DUST MASKS



Now only
\$13.17
box of 10
Save over
\$2.00 off
MSRP

High-quality, dual-layer construction. **#PFCDUST**

Not for use with any hazardous or toxic substances

Tacking Cloths



Absorbent terry cloth. Approximate towel size 20" x 40"

#SC30400WT40 40 lbs.

Finish Pour Pitcher

#FPP



Perfect for laying down finish with minimal splash.

Safety Glasses



Provides protection against moderate impact hazards.

#PFCSAFETY

Protective Gloves



Not latex
Powder Free
Extra-large
100/box

#PFCGlove

Wide Plank Flooring Made in The U.S.A.

American Collection



Available in *Classic* or *Premium* grade, random lengths one to nine feet long, tongue and groove with square edges and ends.

Wood available in 3 - 10 inch widths

Species: Red Oak, White Oak, American Cherry, American Walnut, Hickory, Hard Maple, R&Q Red Oak or R&Q White Oak

Floor Style has arranged for special contractor pricing.

Call for a free quote!

Don't see the wood you need? Call Floor Style. Our associates can find you the perfect fit for your project! 5 locations nationwide!

#FTA+

So smooth it pours!

Color/Tint

- Australian Cypress/Heart Pine
- Mahogany/Sydney Blue
- Brazilian Cherry/Jarrah
- Australian Cedar/Spotted Gum/S. Chestnut
- Rustic/Ebony
- Maple/Beech/Ash/Pine

The #1 selling filler in Australia

Water-base wood filler

- Cherry
- Red Oak
- Natural/Tint Base
- White Oak
- Walnut
- White
- Brush Box
- Tasmanian Oak



VENT SALE!

Standard and Custom Vents Available Now

Standard Sizes

- Flush w/Frame
- Drop-In

4 x 10	2 1/4 x 10	6 x 10
4 x 12	2 1/4 x 12	6 x 12
4 x 14	2 1/4 x 12	6 x 14

*Dampers are available
on all standard sizes*

Sidewall

Width	Height	Depth
15"	4 5/8"	2 3/4"
18"	4 5/8"	2 3/4"
24"	4 5/8"	2 3/4"

Popular Domestic Species

Red Oak • White Oak
Maple
American Walnut
Hickory/Pecan
American Cherry
Ash • Pine

Popular Exotic Species

Brazilian Cherry/Jatoba
Brazilian Walnut/Ipe
Brazilian Teak/Cumaru
Santos Mahogany
Australian Cypress
Tigerwood • Wenge
Tiete Rosewood/Sirari

*Many other species available. Call your
Floor Style representative to inquire.*

Wall Return

Overall Size	Duct Size
7 x 11 1/2	6 x 10
7 x 13 1/2	6 x 12
7 x 15 1/2	6 x 14
7 x 21 1/2	6 x 20
7 x 25 1/2	6 x 24
7 x 31 1/2	6 x 30
9 x 11 1/2	8 x 10
9 x 13 1/2	8 x 12
9 x 15 1/2	8 x 14

Return/Wall vents have a flat bottom to rest on the floor with sides and top rounded for a finished appearance. These vents are a full 3/4" thick with horizontal slots facing down.

Custom Vents

Louvered • Eggcrate • Horizontal

Custom sizes are available in drop-in and flush mount vents. Call your Floor Style representative for details and pricing



*Accessories
Available*



ELECTRICAL

NEW LOWER PRICING ON EVERYTHING ELECTRICAL

We carry only the
highest quality
electrical parts

Electrical Cable


Part #	Size	
#PE104	10-4	New Lower Pricing!
	Min. Order -- 250 ft.	
#PE103	10-3	New Lower Pricing!
	Min. Order -- 100 ft.	
#PE123	12-3	New Lower Pricing!
	Min. Order -- 50 ft.	
#PE143	14-3	New Lower Pricing!
	Min. Order -- 50 ft.	

Floor Style orders only the finest quality of American-made cable and it's cut to your specifications



Standard Edger Plug

Part #	Description
#PE4729C	female plug
#PE4720C	male plug
#PE4715C	female flanged



Hummel & Clarke Sanders

Part #	Description
#PE2323	female plug
#PE2321	male plug
#PE2325	male flanged
#PE2326	female flanged



Galaxy, ProSand, Bona Belt

Part #	Description
#PE2623	female plug
#PE2621	male plug
#PE2625	male flanged
#PE2626	female flanged



Heavy Duty Edger Switch

#PES15HD B-2 & B-2+ Only

Regular Edger Switch

#PES15A SU7R/B2



#PEBB2 for B-2s without wire



#PEBCS7R for SU 7 without wire



#PEBCS7RW for SU 7 with wire



#PEBB2N for B2+ with wire



#PEBBPV for Bac-Pac-Vacs

New
LOWER
pricing!

Standard straight blade



3W 15A 125V

Part #	Description
#PE5269C	female plug
#PE5266C	male plug
#PE5279C	female flanged receptacle
#PE5278C	male flanged receptacle

Ryder 3-phase



4W grd. 30A 250V

Part #	Description
#PE2723	female plug
#PE2721	male plug
#PE2725	male flanged
#PE2726	female flanged

Old FSP style



3W grd. 30A 125/250V

Part #	Description
#PE3333C	female plug
#PE3331C	male plug
#PE3334C	male flanged
#PE3335C	female flanged

By Special Order



3W 20A 125/250V

Part #	Description	Club Price
#PE7314C	female plug	\$19.92
#PE9965C	male plug	\$12.03
#PE3325C	male flanged	\$14.78
#PE3326C	female flanged	\$30.26

Motor Brushes for 2-speed buffers

#PTMB

Switch for the Boss buffers

#PM30AB

Other Common Motor Brushes

Part #	Description
#PEBAL/CL	Motor -American/504
#PB7192	Viking Edger Brush (grey motor)

R580 & R851 now available

Bona's moisture barrier and adhesive explained

Bona® R580 moisture barrier sealer optimizes adhesion to, and provides a protective membrane over substrates where the moisture content exceeds 3 lbs or 75% relative humidity. It is a moisture-cured, solvent- and water-free, silane-based compound. It can be used as either a one or two-component product.

The two-component system includes a catalyst to accelerate setting time. Moisture barrier protection above three pounds or 75% relative humidity. This is a very low V.O.C. and a single coat application product that is self-leveling and has an easy clean-up. Silane is a derivative of silicon.

R580 is used on concrete, cementitious or wood substrates where moisture is a known or potential issue where the moisture content is greater than 3 lbs (Calcium Chloride test) or 75% relative humidity (RH probe test) but not greater than 12 lbs or 90% relative humidity.

For the two-component system, which has about a four hour dry time, R580 comes with a foil packet containing a pre-measured catalyst (water) that accelerates the setting time when mixed together with the sealer. After the catalyst is added there is a 20 minute window to spread the sealer before it begins to set.

Spread sealer evenly on the substrate with the Bona spreader trowel using a snowplow application method. Bona

R580 is designed to self-level and create a continuous membrane without the need for flat troweling.

With the one-component system that has a six-hour dry time, R580 can without the catalyst. Mix well using a mix paddle and drill and follow the instructions for the two-component system.

Flooring should be installed or leveling compound applied within 72 hours. If no leveling is needed, to protect membrane from possible job-site contamination, once dry, cover with one mil thick poly sheeting. Peel back sheet-

ing in working sections as R851 adhesive and flooring is installed.

"Bona R580 is designed to reduce moisture vapor emissions that originate from below the membrane only"
-- Bona Website

- Bona R851 is a one-component, moisture curing, water and solvent free, silane-based adhesive for wood floors. Bona

R851 provides outstanding adhesion to a variety of surfaces, and allows for the natural movement of wood flooring.

This adhesive has excellent initial "green grab," meaning the flooring stays in place and no "memory" so floor seams will not move apart.

The adhesive is easy to use and clean up and provides rapid shear strength development so the flooring is ready for furniture and foot traffic in as little as one day. It also has exceptional ridge stability provides maximum adhesive transfer and is GREENGUARD certified for indoor air quality.

Bona®
Passion for wood floors

Moisture Barrier #FBMB580



Bona® R580 moisture barrier sealer optimizes adhesion to, and provides a protective membrane over substrates. Can be used as either a 1- or 2-component.

In stock and
shipping the
same day
you order!

Bona®
Passion for wood floors

Adhesive #FBR851

Bona R851 is a 1-component adhesive providing superior adhesion to a variety of surfaces & allows for the natural movement of wood flooring.



Moisture Vapor Protection

with noise reduction properties MVP4 may be used over all substrates common to hardwood flooring installations

#SBMVP5 5 gal

40-45 ft²/gallon using a Bostik #9 V-Notch Trowel (3/16" wide x 5/32" deep)



BOSTIK® Hardwood Products

Bostik®'s Best

A one-part, trowel-applied, moisture-cure, urethane adhesive.

Bostik's Best is currently the number one selling urethane in the hardwood market.

#SB2 5 gal
#SB2GAL 2 gal
#SB2T28 28oz
#SB2T10 10.1oz



The perfect size for repairs



BST Urethane

BST is a one-part, trowel-applied, moisture-cure urethane with unsurpassed green strength and ridge holding capabilities.

35-80 ft²/gallon depending on application and trowel used

#SB3 5 gal

Bostik® EFA,

A high-quality, single-component, moisture-cure urethane adhesive.

NOTE: Do not install solid wood with this adhesive.

40-80 ft²/gallon depending on application and trowel used

#SB4 5 gal



Bostik TKO

This is a one-part trowel applied moisture cure urethane; this advanced scientifically formulated adhesive does NOT contain water.

#SBTKO 4 gal



Ultimate Adhesive Remover

To remove wet and un-cured urethane adhesive from the surface of pre-finished (non-wax) wood flooring.

#SB8 Easy-store towels for quick clean up.

#SB10 1qt. of adhesive remover.



Fast Patch 102

A fast setting, polymer-modified, cement-based compound.

#SB5



SL-150™

A high compressive strength, self-leveling, cement-based underlayment.

#SB6



All-purpose trowels that are perfect for all Bostik adhesive applications.

DESCRIPTION	ITEM NUMBER	COVERAGE
Bostik® #3 Sawtooth Trowel (3/16" x 1/4" deep x 1/2" wide)	#SB8	50 sq ft/gallon
Bostik® #32 Square Notch Trowel (3/16" wide x 1/2" deep)	#SB82	40 sq ft/gallon
Bostik® #3 V-Notch Trowel (3/16" wide x 5/32" deep)	#SB9	50 sq ft/gallon



Bostik® trowels are suggested to maximize coverage of adhesives. 80% coverage is required for engineered hardwood and 95% coverage is required for solid hardwoods. Periodically check coverage during installation. Uneven subflooring may require the use of either a leveling/patching material (see above), or a larger notched trowel for proper coverage of adhesive. Refer to adhesive data sheets for trowel recommendations.

Lead-Based Paint Action Alert

On April 22, the EPA's Lead Renovation, Repair and Painting rule went into effect. This law impacts wood flooring contractors working in facilities built before 1978. Flooring contractors could be affected if more than six square feet of lead-painted areas are disturbed. In most situations, this would include baseboards, in which case, 32 linear feet of 2¼" baseboard would make the law enforceable.

Flooring contractors who perform renovation and repair work in facilities built before 1978 must comply with several mandates in response to this new law.

FloorStyle is the only national distributor that will keep you current and in compliance with all rules and regulations affecting flooring contractors.

2010 VOC Tables (March 2010)

Category	National	California			OTC ^{1,2} /Canada
	A/M Rule ¹	CARB			* See Below
	Current	Current	NEW SCM (2010)	Current	Current
SEALERS					
Sanding Sealers	500	500	275	275**	300
Primer, Sealer, Undercoaters	400	200	100	100	200
Quick Dry Sealers	450	200	275	100	200
Lacquer Sanding Sealer	600	550	275	275**	500
STAINS					
Stain, Semi-transparent	550	200	275	200 ³	200
TOPCOATS/FINISHES					
Varnishes (H.O. Lin/Parsons/Schwen OMUs)	450	350	275	275**	350 ³
Conversion Varnish	775	550	275	275**	725
Conjugated Oil Varnish	—	—	—	—	450 (CANADA only)
Lacquers	600	550	275	275**	500
Clear Brushing Lacquer	—	600	275	275**	600
Shellacs – Clear	750	720	730	730***	730

Notes: Varnish category includes the following clear wood finish technologies: OMUs, waterborne, moisture cure, epoxy and other 2-pack types.

¹OTC States with final rules adopted: Connecticut, Delaware, District of Columbia, Maine (except varnish & stain), Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Virginia, (Only the Northern Virginia and Fredericksburg Exclusion Control Areas which includes Arlington, Fairfax, Loudoun, Prince William, Stafford and Spotsylvania Counties; Cities of Alexandria, Fairfax, Falls Church, Manassas, Manassas Park, and Fredericksburg)

²** Maine will allow varnishes and interior stains to use the National Rule for VOC until January 1, 2011, 400 g/L, 500 g/L, respectively)

³– Quant Exemption has been eliminated for varnishes, Sanding Sealers, and Lacquers in the South Coast Air District

⁴– Shellacs manufactured after 10/21/08 are not allowed to be used on wood flooring in South Coast

⁵– EPA is raising the National A/M Rule – limits should be similar to OTD Phase I limits

2 – Interior

3 – RI adopted OTD Phase I – VT will probably remain with National A/M Rule for now.

4 – LADCO States – OH and IL has adopted OTD Phase I limits, and IN has proposed OTD Phase I limits