



This MSDS is prepared in accordance with OSHA 1910.1200, Canadian WHMIS, and ANSI .

	Class D-2B: Material causing other toxic effects (TOXIC).	HCS Class: Irritating substance.
WHMIS (Pictograms)	WHMIS (Classification)	HCS

Section 1. Chemical Product and Company Identification

Product Name/ Trade name	Dry Time Extender	Code	B0687
Synonym	Not available.	CAS #	Mixture.
Chemical Family	Mixture.	Validation Date	6/1/2009
Chemical Formula	Not applicable.	Print Date	6/1/2009
Manufacturer/ Supplier	Basic Coatings 1001 Brown Avenue Toledo, Ohio (800) 247-5471	In Case of Emergency	CHEMTREC (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		
		Protective Clothing	
			

Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Water	7732-18-5	80 - 100	Not available.	Not available.
Dipropylene Glycol Propyl Ether	29911-27-1	1 - 5	Not available.	Not available.
Tert-Butyl Acetate	540-88-5	.1 - 1	200 ppm ACGIH	Not established

Section 3. Hazards Identification

Potential Acute Health Effects	May be slightly irritating to eyes, respiratory system and skin.
Potential Chronic Health Effects	There is no known effect from chronic exposure to this product.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.
Skin Contact	Wash with soap and water. Get medical attention if irritation develops. Cold water may be used.
Inhalation	If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Call a physician. Do not induce vomiting.

Section 5. Fire Fighting Measures

Products of Combustion Not established

Fire Fighting Media and Instructions SMALL FIRE: Use water spray, fog or foam.
LARGE FIRE: Use water spray, fog or foam.

Special Remarks on Fire Hazards No additional remark.

Special Remarks on Explosion Hazards No additional remark.

Section 6. Accidental Release Measures

Small Spill and Leak Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

Large Spill and Leak Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Prevent entry into sewers, basements or confined areas; dike if needed.

Personal Protection in Case of a Large Spill Splash goggles. Gloves. Light protective clothing. Wear appropriate respirator when ventilation is inadequate.

Section 7. Handling and Storage

Precautions Do not breathe gas/fumes/ vapor/spray. Avoid contact with eyes. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label.

Incompatibility Reactive with reducing agents, acids, alkalis.

Storage Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Do not store above 48.889°C (120°F). S2- Keep out of the reach of children.

Section 8. Exposure Controls/Personal Protection

Engineering Controls Good general ventilation should be sufficient to control airborne levels.

Personal Protection

Eyes Safety glasses.

Body No special protective clothing is required.

Respiratory A respirator is not needed under normal and intended conditions of product use. Wear appropriate respirator when ventilation is inadequate. Be sure to use an approved/certified respirator or equivalent.

Hands Gloves.

Protective Clothing (Pictograms)



Exposure Limits See Section 2 For Applicable Exposure Limits

Section 9. Physical and Chemical Properties

Physical State and Appearance Liquid.

Odor Camphor.

Molecular Weight Not applicable.

Taste Not available.

pH 7 to 9 [Basic.]

Color Clear.

Boiling/Condensation Point 81.667 to 125°C (179 to 257°F)

Melting/Freezing Point May start to solidify at 0°C (32°F) based on data for: Water.

Critical Temperature Not available.

Instability Temperature	Not available.
Specific Gravity	0.99 (Water = 1)
Vapor Pressure	Not available.
Vapor Density	Not available.
Volatility	>90%
VOC	2%
Evaporation Rate	>1 compared to Butyl acetate.
Dispersion Properties	See solubility in water.
Solubility	Soluble in cold water.
The Product is:	Non combustible.
Auto-ignition Temperature	Not available.
Flash Points	Closed cup > (212°F) (Tagliabue.)
Flammable Limits	Not available.
Fire Hazards in Presence of Various Substances	Not established
Explosion Hazards in Presence of Various Substances	Not applicable.

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	Reactive with reducing agents, acids, alkalis.
Hazardous Decomposition Products	Not established

Section 11. Toxicological Information

Routes of Entry	Dermal contact. Eye contact. Inhalation. Ingestion.
Toxicity to Animals	Not established
Acute Effects on Humans	
	<i>Eyes</i> Mildly irritating to the eyes.
	<i>Skin</i> Slightly irritating to the skin.
	<i>Inhalation</i> Slightly irritating to the respiratory system.
	<i>Ingestion</i> Hazardous in case of ingestion. Irritating to mouth, throat and stomach.
Chronic Effects on Humans	There is no known effect from chronic exposure to this product.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

Section 12. Ecological Information

Ecotoxicity Not available.

BOD5 and COD Not available.

Products of Biodegradation Not available.

Toxicity of the Products of Biodegradation Not available.

Special Remarks on the Products of Biodegradation No additional remark.


Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste Stream Not available.

Section 14. Transport Information

DOT (U.S.A)
(Pictograms)



TDG Classification Not a TDG controlled material.



PIN UN, Proper Shipping Name, PG Not Regulated.

Maritime Transportation Not Regulated.

Special Provisions for Transport Not available.

Section 15. Other Regulatory Information and Pictograms

WHMIS (Classification) Class D-2B: Material causing other toxic effects (TOXIC).



Regulatory Lists No products were found.

Other Regulations None identified.

Other Classifications

HCS (U.S.A.) HCS Class: Irritating substance.

USA Regulatory Lists

SARA 311/312 MSDS distribution - chemical inventory - hazard identification None identified.


DSD (EEC) Not available.

International Regulations Lists No products were found.

**Hazardous Material
Information System
(U.S.A.)**

Health	1
Flammability	0
Physical Hazard	0

**National Fire
Protection
Association
(U.S.A.)**



The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

Section 16. Other Information

Validated by LMorsch on 6/1/2009.

Verified by LMorsch.

Printed 6/1/2009.

Information Contact Basic Coatings
1001 Brown Avenue
Toledo, Ohio
(800) 247-5471

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 6/1/2009.

Dry Time Extender

Page: 5/5